- 1 HB201
- 2 150139-3
- 3 By Representative Millican (N & P)
- 4 RFD: Local Legislation
- 5 First Read: 14-JAN-14

1	150139-3:n:01/07/2014:FC/tan LRS2013-834R1
2	
3	
4	
5	
6	
7	
8	
9	A BILL
10	TO BE ENTITLED
11	AN ACT
12	
13	To alter, rearrange, and extend the boundary lines
14	and corporate limits of the City of Double Springs in Winston
15	County; and to provide for a referendum.
16	BE IT ENACTED BY THE LEGISLATURE OF ALABAMA:
17	Section 1. The boundary lines and corporate limits
18	of the City of Double Springs in Winston County are altered,
19	rearranged, and extended to include within the corporate
20	limits of the municipality, in addition to the lands now
21	included, all of the following territory:
22	Parcel No. 1
23	A parcel of land located in a part of the SE $1/4$ of
24	the SW 1/4 of Section 30, Township 10 South, Range 7 West,
25	Winston County, Alabama, being more particularly described as
26	follows:

COMMENCE at the southeast corner of said SE 1/4-SW 1 1/4 and run N 00°45'09" E, along the east boundary of said 2 1/4-1/4, a distance of 750.09', to a concrete monument; thence 3 N 89°20'07" W, a distance of 44.05', to found 1/2" capped 4 rebar (CA0466LS) and a point on the east right-of-way of 5 County Road #72A; thence N 89°26'35" W, a distance of 39.92", 6 7 to a 5/8" capped rebar (PLS#24337) and point on the west right-of-way of County Road #72A; thence S 00°08'30" E, along 8 the said west right-of-way of County Road #72A, a distance of 9 10 190.23', to a point of curve; said curve being to the left and having a radius of 217.37', a delta angle of 02°43'15" and a 11 curve length of 10.32'; thence S 01°02'30" E, along the chord 12 13 of said curve, a chord distance of 10.32', to a nail set in asphalt and the POINT OF BEGINNING; thence S 57°22'39" W, a 14 15 distance of 33.88', to a nail set in asphalt; thence S 79°57'02" W, a distance of 117.75', to a nail set in asphalt; 16 17 thence S 05°02'04" W, a distance of 259.56', to a nail set in asphalt; thence S 31°22'14" W, a distance of 112.56', to a 18 nail set in asphalt; thence S 04°33'10" W, a distance of 19 123.86', to a point on the 510 contour line of Lewis Smith 20 21 Lake, thence in a east southeasterly direction, along 510 contour line of said Lewis Smith Lake, a distance of 285.17+, 22 to a point; thence N 04°50'40" W, a distance of 15.10', to a 2 23 1/2" capped pipe; thence N 02°21'38" W, a distance of 95.64', 24 to a 2 1/2" capped pipe, thence N 09°20'52" W, a distance of 25 11.93', to a 2 1/2" capped pipe; thence N 00°31'15" E, a 26 27 distance of 225.52', to a 2 1/2" capped pipe, thence N

01°14'42" E, a distance of 22.58', to a 2 1/2" capped pipe; 1 thence N 08°09'41" E, a distance of 11.25' to a 5/8" capped 2 rebar (PLS#24337); thence N 03°00'49" E, a distance of 8.41', 3 to a 2 1/2" capped pipe; thence N 03°45'03" E, a distance of 4 15.21', to a 5/8" capped rebar (PLS#24337), thence N 5 01°38'14" E, a distance of 27.81', to a 5/8" capped rebar 6 7 (PLS#24337), thence N 02°20'07" W, a distance of 41.57', to a 5/8" capped rebar (PLS#24337) and a point on the westerly 8 right-of-way of County Road #72A; thence N 15°10'01" W, along 9 10 said west right-of-way, a distance of 28.59', to a point of curve, said curve being to the right, having a radius of 11 12 217.37', a delta angle of 12°45'53" and a curve length of 48.43' thence N 08°47'04" W, along the chord of said curve, a 13 chord distance of 48.33', to the point of beginning. Said 14 parcel of land contains 2.2 acres or 96,903 sq. ft. more or 15 16 less.

17

Parcel No. 2

A parcel of land located in a part of the SE1/4 of the SW 1/4 of Section 30, Township 10 South, Range 7 West, Winston County, Alabama, being more particularly described as follows:

COMMENCE at the southeast corner of said SE1/4-SW1/4 and run N 00°45'9" E, along the east boundary of said 1/4-1/4, a distance of 750.09', to a concrete monument; thence N 89°20'07" W, a distance of 44.05', to found 1/2" capped rebar (CA0466LS) and a point on the east right-of-way of County Road #72A, thence N 89°26'35" W, a distance of 39.92", to a 5/8"

capped rebar (PLS#24337), a point on the west right-of-way of 1 County Road #72A; thence S 00°08'30" E, along the said west 2 right-of-way of County Road #72A, a distance of 183.53', to a 3 point of curve and the POINT OF BEGINNING; said curve being to 4 the left and having a radius of 217.37', a delta angle of 5 02°43'15" and a curve length of 10.32', thence S 01°02'30" E, 6 7 along the chord of said curve, a chord distance of 10.32', to a nail set in asphalt; thence S $57^{\circ}22'39''$ W, a distance of 8 33.88' to a nail set in asphalt; thence S 79°57'02" W, a 9 10 distance of 117.75', to a nail set in asphalt; thence S 05°02'04" W, a distance of 259.56' to a nail set in asphalt; 11 12 thence S 31°22'14" W, a distance of 112.56', to a nail set in asphalt; thence S 04°33'10" W, a distance of 123.86', to a 13 point on the 510 contour line of Lewis Smith Lake; thence in a 14 north-northwesterly direction, along the 510 contour line of 15 said Lewis Smith Lake, a distance of 495.05'+/-, to a point; 16 thence S 86°00'50" E, leaving said 510 contour line, a 17 distance of 80.65'; thence N 04°33'01" E, a distance of 18 37.09'; thence S 88°08'56" E, a distance of 19.53', to a point 19 of curve; said curve turning to the left with an arc length of 20 21 15.86', with a radius of 13.03'. with a chord bearing of N 22 56°58'20" E, and a chord length of 14.90'; thence N 22°31'21" E, a distance of 13.79', to a point of curve; said curve 23 24 turning to the right with an arc length of 69.59', with a radius of 87.25', with a chord bearing of N 45°22'21" E, and a 25 chord length of 67.76'; thence N 76°54'51" E, a distance of 26 81.73'; thence N 81°25'07" E, a distance of 28.29'; N 27

82°46'32" E, a distance of 34.55', to a point of curve; said 1 2 curve turning to the left with an arc length of 20.03', with a radius of 40.40', with a chord bearing of N 68°34'14" E, and a 3 chord length of 19.83', to a point of curve; thence with a 4 reverse curve turning to the right with an arc length of 5 6 16.96', with a radius of 1376.97', with a chord bearing of N 7 54°43'05" E, and a chord length of 16.96'; thence N 46°20'37" E, a distance of 17.81', to the point of beginning. Said 8 parcel of land contains 1.92 acres or 83,453.5 sq. ft. more or 9 10 less.

11

Parcel No. 3

12 A parcel of land located in a part of the SE 1/4 of 13 the SW1/4 of Section 30, Township 10 South, Range 7 West, 14 Winston County, Alabama, being more particularly described as 15 follows:

COMMENCE at the southeast corner of said SE 1/4 -SW 16 17 1/4 and run N 00°45'09" E, along the east boundary of said 1/4-1/4, a distance of 750.09', to a concrete monument; thence 18 N 89°20'07" W, a distance of 44.05', to found 1/2" capped 19 rebar (CA0466LS) and a point on the east right-of-way of 20 County road #72A; thence N 89°26'35" W, a distance of 39.92" 21 22 to a 5/8" capped rebar (PLS#24337), a point on the west 23 right-of-way of Winston County Road #72A and the POINT OF BEGINNING; thence S 00°08'30" E, along the said west 24 right-of-way of Winston County Road #72A, a distance of 25 183.53', to the edge of an asphalt drive; thence S 46°20'37" 26 W, along said edge of asphalt, a distance of 17.81' to a point 27

1 of curve; said curve being to the right and having a radius of 1376.97', a delta angle of $00^{\circ}42'21''$ and a curve length of 2 16.96'; thence S 54°43'05" W, along the chord of said curve, a 3 chord distance of 16.96', to a point of curve; said curve 4 being to the right and having a radius of 40.40', a delta 5 angle of 28°24'37" and a curve length of 20.03'; thence S 6 7 68°34'14" W, along the chord of said curve, a chord distance of 19.83'; thence S 82°46'32" W, along said edge of asphalt, a 8 distance of 34.55'; thence S 81°25'07" W, along said edge of 9 asphalt, a distance of 28.29', thence South 76°54'51" W along 10 said edge of asphalt a distance of 81.73' to a point of curve; 11 12 said curve being to the right and having a radius of 87.25', a delta angle of 45°42'01", and a curve length of 69.59', thence 13 south 45°22'21" W along the chord of said curve, a chord 14 distance of 67.76', thence S 22°31'21" W, along said edge of 15 asphalt, a distance of 13.79', to a point of curve; said curve 16 being to the right and having a radius of 13.03', a delta 17 angle of 69°45'28" and a curve length of 15.86'; thence S 18 56°58'20" W, along the chord of said curve, a chord distance 19 of 14.90'; thence N 88°08'56" W, along said edge of asphalt, a 20 distance of 19.53'; thence S 04°33'01" W, along said edge of 21 22 asphalt, a distance of 37.09'; thence N 86°00'50" W, leaving said edge of asphalt, a distance of 80.65', to a point on the 23 510 contour line of Lewis Smith Lake: thence run in a 24 north-northeasterly direction, along the 510 contour line of 25 said Lewis Smith Lake, a distance of 636.88'+/-; thence S 26 27 84°07'36" E, leaving said 510 contour line, a distance of

1 136.43', to a 1/2" capped rebar (CA0466LS) and a point on the 2 west right-of-way of Winston County Road #72A; thence S 00°21'39" E, along said west right-of-way, a distance of 3 4 232.93', to the point of beginning. Said parcel of land contains 2.38 acres or 103,528.9 sg. ft. more or less. 5 6

Parcel No. 4

7 A part of the SE 1/4 - SW 1/4 of Section 30, Township 10 South, Range 7 West, Winston County, Alabama 8 described as follows: 9

10 COMMENCE at the SE corner of said SE 1/4-SW 1/4 thence North 00°45'09" East along the East boundary of said SE 11 12 1/4-SW 1/4 975.09 feet to a found 1/2" rebar capped CA0466LS 13 and the point of beginning; thence leaving said East boundary North 84°12'13" West, 48.67 feet to a set 1/2" rebar capped 14 15 CA0466LS on the Easterly R.O.W. of County Road 72A; thence along said R.O.W. South 00°22'35" East, 4.41 feet to a found 16 1/2" rebar capped CA0466LS; thence leaving said R.O.W. South 17 89°24'02" East, 48.39 feet to the point of beginning. Contains 18 106.67 sq. ft. more or less. 19

20

Parcel No. 5

21 A part of the SE 1/4-SW 1/4 of Section 30, Township 22 10 South, Range 7 West, Winston County, Alabama described as 23 follows:

COMMENCE at the SE corner of said SE 1/4-SW 1/4 24 thence North 00°45'09" East along the East boundary of said SE 25 26 1/4-SW 1/4, 975.09 feet to a found 1/2 rebar capped CA0466LS; 27 thence leaving said East boundary North 84°12'13" West, 88.90

feet to a set 1/2" rebar capped CA0466LS on the Westerly 1 2 R.O.W. of County Road 72A and the point of beginning; thence continue North 84°12'13" West, 138.06 feet to a point on the 3 4 510 foot contour of Lewis Smith Lake; thence Southwesterly along said 510 foot contour 20.76 feet to a point; thence 5 leaving said 510 contour South 89°24'02" East, 140.56 feet to 6 7 a found 1/2" rebar capped CA0466LS on the Westerly R.O.W. of County Road 72A thence along said R.O.W. North 00°22'29" West, 8 8.05 feet to the point of beginning. Contains 1997.75 sq. ft. 9 10 more or less.

11

Parcel No. 6

12 An acre of land more or less located in the 13 Northeast 1/4 of the Southeast 1/4 of section 8, Township 11 14 South, Range 8 West, Winston County, Alabama, beginning at the South end of the North driveway and run South along highway 15 195 200 feet; thence West 220 feet; thence North 200 feet; 16 17 thence East 220 feet to point of beginning. Minerals and usual mining rights excepted. The above property being also 18 described by survey as follows: COMMENCING AT THE Northwest 19 20 corner of the Northeast 1/4 of the Southeast 1/4, Section 8, 21 Township 11 South, Range 8 West; thence North 89 degrees 41 minutes 52 minutes East, along the forty line, a distance of 22 23 787.46 feet to the right of way of State Highway No. 195; 24 thence South 15 degrees 30 minutes 32 seconds East along said 25 right of way a distance of 277.26 feet to the point of 26 beginning; thence continue South 15 degrees 30 minutes 32 seconds East along said right of way a distance of 197.57 feet 27

1 to the right of way of County Road No. 4; South 42 degrees 34 2 minutes 37 seconds West along said right-of-way a distance of 46.15 feet, thence South 27 degrees 20 minutes 43 seconds West 3 4 along said right of way, a distance of 55.09 feet; thence North 78 degrees 41 minutes 37 seconds West a distance of 5 138.22 feet; thence North 15 degrees, 30 minutes 32 seconds 6 7 West a distance 200.00 feet; thence North 74 degrees 29 minutes 28 seconds East a distance of 200.00 feet to the point 8 of beginning. Said land lying and being in the Northeast 1/4 9 of Southeast 1/4, Section 8 Township 11 South, Range 8 West, 10 Winston County, Alabama, and containing 1.05 acres more or 11 12 less.

13

Parcel No. 7

A parcel of land being in the Northeast 1/4 of the Southwest 1/4 of Section 30, Township 10 South, Range 7 West, Winston County, Alabama being more particularly described as follows:

COMMENCE at the Southeast corner of said Section 30; 18 thence North 89 degrees 19 minutes 00 seconds West along the 19 south boundary of said Section 30 a distance of 2687.68 feet 20 21 to a point; thence leaving said South boundary North 00°43 22 minutes 48 seconds East a distance of 1532.36 feet to a 1/2" rebar capped "APEX CA0712LS" on the 510 foot elevation contour 23 24 of Lewis Smith Lake and the point of beginning; thence 25 continue North 00 degrees 43 minutes 48 seconds East a distance of 264.09 feet to a 1/2 rebar capped "APEX CA0712LS" 26 27 on the Southerly right-of-way of Highway 278; thence South 63

1 degrees 09 minutes 50 seconds West along said right-of-way a 2 distance of 271.28 feet to a 1/2" rebar capped "APEX CA0712LS"; thence leaving said right-of-way South 31 degrees 3 02 minutes 19 seconds East a distance of 237.94 feet to a 1/2" 4 rebar capped "APEX CA0712LS" on the 510 foot elevation contour 5 6 of Lewis Smith Lake; thence Easterly along said contour a 7 distance of 155.66 feet more or less to the point of beginning. Containing 1.03 acres more or less. 8

9

Parcel No. 8

10 A parcel of land located in parts of the NE 1/4 of 11 the NW 1/4 and the SE 1/4 of the NW 1/4 of Section 29, 12 Township 10 South, Range 7 West, in Winston County, Alabama, 13 and being more particularly described as follows:

BEGIN at the northeast corner of said SE 1/4-NW 1/4 14 and run S 02° 14' 12" W, along the east boundary of said 15 1/4-1/4, a distance of 599.33'; thence N 89° 37' 55" W, 16 leaving said east 1/4-1/4 line, a distance of 193.61'; thence 17 N 37° 53' 52" W, a distance of 216.91'; thence N 89° 37' 55" 18 W, a distance of 261.61'; thence S 00° 00' 00" W, a distance 19 of 158.67'; thence S 41° 43' 00" W, a distance of 357.20'; 20 thence N 89° 48' 09" W, a distance of 119.04'; thence N 16° 21 22' 58" E, a distance of 92.99'; thence N 57° 35' 05" E, a 22 distance of 255.84'; thence N 00° 00' 00" W, a distance of 23 500.52'; thence N 44° 42' 46" E, a distance of 222.15', to a 24 point on the north boundary of said SE 1/4-NW 1/4; thence N 25 02° 15' 12" E, a distance of 282.50', to a point on the 26 27 southeasterly right-of-way of U.S. Highway 278; thence N 65°

1 07' 18" E, along said southeasterly right-of-way, a distance 2 of 192.40'; thence S 02° 15' 12" W, leaving said right-of-way, 3 a distance of 374.03', to a point on the north boundary of 4 said SE 1/4-NW 1/4; thence S 86° 28' 44" E, along the north 5 boundary of said SE 1/4-NW 1/4, a distance of 399.89', which 6 is the point of beginning. Said parcel of land contains 10.62 7 acres more or less.

8

Parcel No. 9

9 A parcel of all land located north of U.S. Highway 10 278 and East of the Double Springs airport in the three 11 following forties: The NW 1/4 of the NE 1/4 of Section 36, TP 12 10, Range 8 West, the SW 1/4 of the SE 1/4 of Section 25, TP 13 10, Range 8 West, the NW 1/4 of the SE 1/4 of Section 25, TP 14 10, Range 8 West, more particularly described as follows:

15 BEGINNING Where the east line of the SW 1/4 of the SE 1/4 of Section 25, TP 10, Range 8 West intersects with the 16 17 north ROW of U.S. Highway 278, thence North a distance of 2,244 ft. to the East ROW of the Double Springs Airport, 18 thence in a southwesterly direction along said airport ROW a 19 20 distance of 2,838 ft. to the North ROW of U.S. Highway 278, 21 thence in an easterly direction along said U.S. Highway 278 22 ROW a distance of 1,320 ft. to point of beginning. Parcel 23 containing 33.5 acres more or less.

Section 2. In accordance with Section 11-42-6(b) of the Code of Alabama 1975, a map showing what territory is proposed to be annexed to the City of Double Springs is on file in the office of the Judge of Probate in Winston County, Alabama, and the map is open to the inspection of the public.

1

2

Section 3. The provisions of Section 1 shall not be 3 4 effective unless approved by a majority of the electors of the City of Double Springs and a majority of the electors residing 5 6 on the property to be annexed voting at a referendum on the 7 annexation. The referendum shall be set by the judge of probate of the county upon request of the City Council of the 8 City of Double Springs. If the judge of probate determines 9 there are no registered voters residing on the property 10 proposed to be annexed, the election may be conducted by the 11 12 municipality in the same manner as a municipal election or, in 13 the alternative, the election may be held in conjunction with 14 a regularly scheduled primary or general election. The city shall pay all costs related to the election. The question to 15 16 be presented on the ballot shall be: "Do you favor the approval of Act of the 2013 Regular Session, annexing 17 property described in that act into the City of Double 18 Springs? Yes No. If a majority of the votes cast are 19 "Yes", the annexation provided in Section 1 shall be effective 20 21 on the first day of the month following the election. If a 22 majority of the votes cast are "No", this act shall have no 23 further effect.

24 Section 4. This act shall become effective on the 25 first day of the third month following its passage and 26 approval by the Governor, or its otherwise becoming law.